



Geometric line body

Simple in shape, bionic design

Imitation of dolphin soft dynamic body, feel smooth as before, solid aluminum alloy frame integrated molding, wear-resistant and anti-pressure, finely crafted, hard and sharp.

30<sub>kg</sub> Net weight

100<sub>kg</sub>

Max load



Removable and replaceable lithium battery

## Automotive power lithium-ion cells

Waterproof and anti-theft, equipped with battery lock, high power supply, safe and durable performance, long life.

6 battery intelligent protection management system



Short circuit protection



Over current protection



Double overcharge protection




Double over-discharge protection



Abnormal temperature protection



Undervoltage auto-sleep









SHIMANO 7-Speed transmission system

# As Fast as lightning even without electricity

The hollow design reduces the weight of the flywheel teeth, which matches the chain well. It has a smooth and precise control feeling, and breaks through the terrain restrictions.





Stronger gradeability

## Great power, lead at the start

750W high-power brushless DC motor, high-torque to strengthen the ability to cross obstacles, high technology support, tech-person gospel.

750<sub>W</sub> Powerful motor



Assisting power or pure electricity mode, control at will

# Experience multiple mode switching

There are 3 built-in riding modes, which can be easily switched during riding.

#### 3 Riding Mode



#### Electric mode

Turn on the power and turn the handlebar, no need to step foot, it can be moved forward to



#### Assistant mode

Switch on the power, no need to turn the handlebar to gently drive the foot.



#### Manpower mode

No power, use like a bicycle, zero battery consumption.





Real-time visibility of itinerary dynamics

### Large screen smart display

Accurately display speed, power, gear, total mileage










Power display

Speed display

Gear switch





The front of the bike is easily folded in seconds

### Foldable electric bike

It adopts a portable folding design, occupies a small area, and can be folded quickly by pressing.



3s Quick fold



Deep iron black

Titanium gray



Open size:1650x670x1170mm



Folding size:1650x350x880mm

| Open size         1650*670*1170mm           Folding size         1650*350*880mm           Net weight         30kg           Frame materials         Aluminum alloy           Rim size         20in*4.0           Motor         48V/750W           Motor Type         Brushless DC motor-High speed Gear (5:1)           Battery capacity         12.75Ah/612Wh Li-ion battery           Charger parameters         54.6V/2A           Max speed         45km/h           Pure electric range         30-40km           Power assist range         70-75km           Climb angle         25°           Max load         100kg           Riding mode         Cycling / Hall power / Electric           Charging time         5-6h           Folding features         Foldable pole           Seat height         Liftable           Battery detachable feature         Push-in type with mechanical lock           Suspension         Front shock absorber           Mechanical variable speed         7 speed mechanical transmission system           Brake mode         Front/Rear disc brake           Assist mode         Hall sensor, 3 speed power adjustment           Light         LED | Model                      | Q3 - North American edition              |
|--|----------------------------|--|
| Net weight  Frame materials  Aluminum alloy  Rim size  20in*4.0  Motor  48V/750W  Motor Type  Brushless DC motor-High speed Gear (5:1)  Battery capacity  12.75Ah/612Wh Li-ion battery  Charger parameters  54.6V/2A  Max speed  45km/h  Pure electric range  30-40km  Power assist range  70-75km  Climb angle  25°  Max load  100kg  Riding mode  Cycling / Hall power / Electric  Charging time  5-6h  Foldable pole  Seat height  Liftable  Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  Front/Rear disc brake  Assist mode  Hall sensor, 3 speed power adjustment  Light  LED  | Open size                  | 1650*670*1170mm                          |
| Frame materials  Aluminum alloy  Rim size  20in*4.0  Motor  48V/750W  Motor Type  Brushless DC motor-High speed Gear (5:1)  Battery capacity  12.75Ah/612Wh Li-ion battery  Charger parameters  54.6V/2A  Max speed  45km/h  Pure electric range  30-40km  Power assist range  70-75km  Climb angle  25°  Max load  100kg  Riding mode  Cycling / Hall power / Electric  Charging time  5-6h  Folding features  Foldable pole  Seat height  Liftable  Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  Front/Rear disc brake  Assist mode  Hall sensor, 3 speed power adjustment  Light  LED  | Folding size               | 1650*350*880mm                           |
| Rim size 20in*4.0  Motor 48V/750W  Motor Type Brushless DC motor-High speed Gear (5:1)  Battery capacity 12.75Ah/612Wh Li-ion battery  Charger parameters 54.6V/2A  Max speed 45km/h  Pure electric range 30-40km  Power assist range 70-75km  Climb angle 25°  Max load 100kg  Riding mode Cycling / Hall power / Electric  Charging time 5-6h  Foldable pole  Seat height Liftable  Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Hall sensor, 3 speed power adjustment  Light LED   | Net weight                 | 30kg                                     |
| Motor Type Brushless DC motor-High speed Gear (5:1)  Battery capacity 12.75Ah/612Wh Li-ion battery  Charger parameters 54.6V/2A  Max speed 45km/h  Pure electric range 30-40km  Power assist range 70-75km  Climb angle 25°  Max load 100kg  Riding mode Cycling / Hall power / Electric  Charging time 5-6h  Folding features Foldable pole  Seat height Liftable  Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Hall sensor, 3 speed power adjustment  Light LED   | Frame materials            | Aluminum alloy                           |
| Motor Type Brushless DC motor-High speed Gear (5:1) Battery capacity 12.75Ah/612Wh Li-ion battery Charger parameters 54.6V/2A Max speed 45km/h Pure electric range 30-40km Power assist range 70-75km Climb angle 25° Max load 100kg Riding mode Cycling / Hall power / Electric Charging time 5-6h Folding features Foldable pole Seat height Liftable Battery detachable feature Push-in type with mechanical lock Suspension Front shock absorber Mechanical variable speed Front/Rear disc brake Assist mode Hall sensor, 3 speed power adjustment Light LED   | Rim size                   | 20in*4.0                                 |
| Battery capacity Charger parameters 54.6V/2A  Max speed 45km/h  Pure electric range 30-40km  Power assist range 70-75km  Climb angle 25°  Max load 100kg  Riding mode Cycling / Hall power / Electric  Charging time 5-6h  Foldable pole  Seat height Liftable Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed Assist mode Hall sensor, 3 speed power adjustment Light LED  | Motor                      | 48V/750W                                 |
| Charger parameters  Max speed  45km/h  Pure electric range  30-40km  Power assist range  70-75km  Climb angle  25°  Max load  100kg  Riding mode  Cycling / Hall power / Electric  Charging time  5-6h  Foldable pole  Seat height  Liftable  Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  7 speed mechanical transmission system  Brake mode  Assist mode  Hall sensor, 3 speed power adjustment  Light  LED   | Motor Type                 | Brushless DC motor-High speed Gear (5:1) |
| Max speed 45km/h Pure electric range 30-40km  Power assist range 70-75km  Climb angle 25°  Max load 100kg  Riding mode Cycling / Hall power / Electric  Charging time 5-6h  Folding features Foldable pole  Seat height Liftable  Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light LED  | Battery capacity           | 12.75Ah/612Wh Li-ion battery             |
| Pure electric range 30-40km  Power assist range 70-75km  Climb angle 25°  Max load 100kg  Riding mode Cycling / Hall power / Electric  Charging time 5-6h  Folding features Foldable pole  Seat height Liftable  Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light   | Charger parameters         | 54.6V/2A                                 |
| Power assist range 70-75km  Climb angle 25°  Max load 100kg  Riding mode Cycling / Hall power / Electric  Charging time 5-6h  Folding features Foldable pole  Seat height Liftable  Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light LED  | Max speed                  | 45km/h                                   |
| Climb angle 25°  Max load 100kg  Riding mode Cycling / Hall power / Electric  Charging time 5-6h  Folding features Foldable pole  Seat height Liftable  Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light LED  | Pure electric range        | 30-40km                                  |
| Max load  Riding mode  Cycling / Hall power / Electric  Charging time  5-6h  Folding features  Foldable pole  Seat height  Liftable  Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  7 speed mechanical transmission system  Brake mode  Front/Rear disc brake  Assist mode  Hall sensor, 3 speed power adjustment  Light  LED   | Power assist range         | 70-75km                                  |
| Riding mode  Cycling / Hall power / Electric  Charging time  5-6h  Folding features  Foldable pole  Seat height  Liftable  Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  7 speed mechanical transmission system  Brake mode  Front/Rear disc brake  Assist mode  Hall sensor, 3 speed power adjustment  Light  LED   | Climb angle                | 25°                                      |
| Charging time 5-6h  Folding features Foldable pole  Seat height Liftable  Battery detachable feature Push-in type with mechanical lock  Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light LED  | Max load                   | 100kg                                    |
| Folding features  Seat height  Liftable  Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  7 speed mechanical transmission system  Brake mode  Front/Rear disc brake  Assist mode  Hall sensor, 3 speed power adjustment  LED  | Riding mode                | Cycling / Hall power / Electric          |
| Seat height  Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  7 speed mechanical transmission system  Brake mode  Front/Rear disc brake  Assist mode  Hall sensor, 3 speed power adjustment  Light  LED   | Charging time              | 5-6h                                     |
| Battery detachable feature  Push-in type with mechanical lock  Suspension  Front shock absorber  Mechanical variable speed  7 speed mechanical transmission system  Brake mode  Front/Rear disc brake  Assist mode  Hall sensor, 3 speed power adjustment  Light  LED  | Folding features           | Foldable pole                            |
| Suspension Front shock absorber  Mechanical variable speed 7 speed mechanical transmission system  Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light LED  | Seat height                | Liftable                                 |
| Mechanical variable speed 7 speed mechanical transmission system  Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light LED   | Battery detachable feature | Push-in type with mechanical lock        |
| Brake mode Front/Rear disc brake  Assist mode Hall sensor, 3 speed power adjustment  Light LED   | Suspension                 | Front shock absorber                     |
| Assist mode  Light  LED  | Mechanical variable speed  | 7 speed mechanical transmission system   |
| Light LED  | Brake mode                 | Front/Rear disc brake                    |
|  | Assist mode                | Hall sensor, 3 speed power adjustment    |
| Protection leval IPX4  | Light                      | LED                                      |
|  | Protection leval           | IPX4                                     |













